

PORTABLE AND POWERFUL. TWO WORDS THAT CAN BEST DESCRIBE THE COOLERS OF THE PYGMY NEW GREEN LINE SERIES.



CZECH UP YOUR
BEER | WATER | WINE | DRINK
COOLING AND DISPENSING SYSTEMS

PERFECTLY CHILLED WATER

The PYGMY 25/W NEW GREEN LINE dispensing machine is primarily intended for cooling water. Each machine is equipped with stainless fittings 1/2" on its input and output.



PYGMY 25/W NEW



PYGMY 25/W NEW GREEN LINE

The PYGMY 25/W NEW GREEN LINE dispensing machine is primarily intended for cooling water. It has everything you need - compact size and adequate performance. Thanks to all this, you can enjoy perfectly chilled water in any environment. It is a great helper for making homemade lemonades or other favorite mixed drinks where soda water is not needed. The NEW designation in the name means that it is an upgraded version of the cooler, certified according to the latest safety and hygiene standards (Czech and European).



<< TEMPERATURE CONTROL

The standard supplied part is a thermostat enabling continuous and precise regulation of the cooled water temperature.

< EASY TO CARRY

Easy and safe handling thanks to the small dimensions of this dispensing machine and the handle, which is located on its upper part.

| BENEFITS AND USEFUL FEATURES

INNOVATION – All our contact coolers are constantly evolving and meet all the latest safety standards and certifications (Czech and European).

PERFORMANCE – The PYGMY 25/W GREEN LINE NEW with its increased continuous output enables serving of 25-35l/h of high-quality chilled water.

GREEN LINE – LINDR GREEN LINE technology is environmentally friendly thanks to the use of eco-friendly refrigerant R-290. Thanks to this design, each product achieves 20 % higher energy efficiency and 20 % lower energy consumption. We have introduced an energy saving system in the production.

COOLING SPEED – The unique design of the cooling block with a perfectly tuned circuit guarantees not only the cooling of the water within a few minutes of switching on, but also the maintenance of a constant temperature if several cups of water are dispensed in a short time.

BEVERAGE VOLUME IN THE COOLING BLOCK – A characteristic feature of our coolers is the large volume of beverage in the cooling block. Even the smallest models in the PYGMY series have a minimum of 0.5 l. The uniform inner diameter of the cooling coil (7 mm) from the dispense head to the tap guarantees cleanliness and optimal beverage flow.

EQUIPMENT – The standard supplied part is a thermostat enabling continuous and precise regulation of the beverage temperature and the handle for easy carrying.

UNIVERSAL USE – The dispensing machine can also be used in combination with pence tower.

STAINLESS STEEL STRUCTURE – The complete structure and cooling coils are made of stainless steel. The materials used meet the highest requirements of hygienic standards and guarantee a long life.

OVERALL COMPACTNESS – PYGMY portable coolers have the best ratio of performance, size and price on the market.




WE KNOW THAT DETAILS MATTER

EASY CONNECTION

Each machine is equipped with stainless fittings 1/2" on its input and output.

PYGMY 25/W NEW GREEN LINE



PRODUCT MODEL	PYGMY 25/W NEW GL
COOLING POWER OF THE COMPRESSOR (HP)	1/8
COOLING POWER OF THE COMPRESSOR (W)	280
MAXIMUM COOLING CAPACITY TO 0 °C / TK 45 °C (L/HOUR)	35
CONTINUOUS COOLING PERFORMANCE (L/HOUR)	25
THERMAL GRADIENT ΔT (°C)	10
AIR COMPRESSOR (BAR)	NO
AIR COMPRESSOR PRESSURE (BAR)	-
NUMBER OF TAPS (PCS)	-
NUMBER OF COOLED BEVERAGES (PCS)	1
LENGTH OF COOLING COILS (M)	11,5
DIAMETER OF COOLING COIL (MM)	7X8
POWER (W)	299
AMPERAGE (A)	1,30
NET WEIGHT (KG)	15,0
REFRIGERANT TYPE	R290
VOLTAGE (V)	220-240V 50HZ-1
CONNECTION WATER - SCREWING	G 1/2
CUSTOMIZED OPTIONS	
CHOICE OF TAP	NO
POWER CABLE PLUG	YES

DISPENSING EQUIPMENT - CONTACT