

MODEL CWP 300 NEW 4X PUMP, 4X THERMOSTATS

PROFESSIONAL DEVICE WITH WATER COOLING TECHNOLOGY AND AN ICE BANK RESERVOIR.



CZECH UP YOUR
BEER | WATER | WINE | DRINK
COOLING AND DISPENSING SYSTEMS

COOLING UP TO 4 TANKS

The device is fitted with 4 efficient stirrers with the NRG 12 pump, which are controlled with 4 digital thermostats with 6 m probe for independent cooling of smaller tanks including of connection of 4 fittings.





CWP 300 NEW

4X PUMP 4X THERMOSTATS

GREEN LINE



The specialised cooler based on the CWP NEW GREEN LINE Mobile line is equipped with four digital thermostats (for each circuit separately), which are used for aftercooling of double-walled beer tanks. It is a professional device with water cooling technology and an ice bank reservoir, where full ice formation provides maximum cooling performance. Thanks to these features, the device can be cooled quickly while maintaining a constant temperature. The model is equipped with a drain valve that allows easy draining of the water from the device and a watermark to see the liquid level.



<< COOLING UP TO 4 TANKS

the device is fitted with 4 efficient stirrers with the NRG 12 pump, which are controlled with 4 digital thermostats with 6 m probe for independent cooling of smaller tanks including of connection of 4 fittings.

< THERMAL REGULATION

The temperature is controlled by a mechanical thermostat. Digital thermostats control the pumps.

| BENEFITS AND USEFUL FEATURES

INNOVATION – All our coolers undergo continuous development and meet all the latest safety standards and certifications (Czech and European).


COOLING UP TO 4 TANKS - the device is fitted with 4 efficient stirrers with the NRG 12 pump, which are controlled with 4 digital thermostats with 6 m probe for independent cooling of smaller tanks including of connection of 4 fittings.

COOLING TECHNOLOGY AS – Water cooling technology with an ice bank, where full ice supply provides maximum cooling performance.

GREEN LINE – LINDR GREEN LINE technology is environmentally friendly thanks to the use of the environmentally friendly refrigerant R-290. Thanks to this design, each product achieves 20% higher energy efficiency and 20% lower electricity consumption. In its production we carry out systemic energy saving.

MOBILITY – The cooler has a stable base and sturdy wheels that allow easier transportation.

CONSTRUCTION AND SERVICE – The modern layout of the cooling technology guarantees easy accessibility for service and maintenance.






WE KNOW THAT DETAILS MATTER

DRAIN VALVE WITH WATERMARK

The cooler is equipped with a drain valve that allows easy draining of water from the unit and a watermark to see the liquid level.

CWP 300 NEW 4X PUMP 4X THERMOSTATS GREEN LINE



PRODUCT MODEL	CWP 300 NEW GL 4X PUMP 4X THERMOSTATS
COOLING POWER OF THE COMPRESSOR (HP)	1
COOLING POWER OF THE COMPRESSOR (W)	2360
MAX. COOLING CAPACITY TO 0°C / TK 45°C (L/HOUR)	200
CONTINUOUS COOLING PERFORMANCE (L/HOUR)	180
THERMAL GRADIENT ΔT (°C)	10
WATER TANK CONTENT (L)	30
ICE BANK (KG)	10-20
DISPLACEMENT OF RECIRCULATION PUMP (M)	12
RECIRCULATION CONNECTION (FITTINGS)	1/2
THERMAL REGULATION COOLING (°C)	0-12
DIGITAL THERMOSTAT - PUMP (PCS)	4
PROBE LENGTH - PUMP (M)	6
POWER (W)	1380
AMPERAGE (A)	6,00
NET WEIGHT (KG)	50,5
REFRIGERANT TYPE	R290
VOLTAGE (V)	220-240V 50HZ-1
BEVERAGE CONNECTION (FITTINGS)	-
AIR CONNECTION (FITTINGS)	-
WATER DRAIN WITH WATERMARK	YES
CUSTOMIZED OPTIONS	
CHOICE OF TAP	NO
STAINLESS STEEL SCREWING	NO
POWER CABLE PLUG	YES
DIGITAL THERMOSTAT	YES